Provider Inspection Summary

For the period 06/01/2003 to 05/31/2006 Community Based Residential Facility CLASS CNA (NONAMBULATORY) STATE OF WISCONSIN
Bureau of Quality Assurance
P.O. Box 2969
Madison WI 53701-2969

Facility Information

Facility Name: HUNTINGTON RESIDENCE (0009978)

Address: 3840 EAST ROTAMER RD, JANESVILLE, WI 53546

License Status: REGULAR

Licensed/Certified/Registered 09/01/2003

Regional Office: SOUTHERN REGION (MADISON), (608) 243-2370

| Survey History | | | | | | |
|--|---|--|--------------------|---|--------------------------------|--|
| Survey ID: 0095222 | End Date: 07/05/2005 | Type: STANDARD | Purpose: SURVEY | | | |
| Results: NO STATEMENT OF DEFICIENCY ISSUED | | | | | | |
| Survey ID: 0092489 | End Date: 04/22/2004 | Type: STANDARD | Purpose: COMPLAINT | | | |
| Results: ENFORCEMENT ACTION | | | | | | |
| Statement of Deficiency: #10007986 Served 05/11/2004 Compliance | | | | | | |
| | <u>Deficiencies Cited</u> 83.14(1)(d) 83.21(4)(t) | Subject Area FIRE SAFETY, FIRST AID & CHOKING INCOMPETENCY | | <u>Verified</u> 07/05/2005 07/05/2005 | <u>Corrected</u> Yes Yes | |

Disclaimer: This information is provided as a public service by the Wisconsin Department of Health and Family Services (DHFS). The Department neither endorses any facility nor guarantees that this information is accurate, up-to-date, or complete. This information, which should not be used as a sole source in selecting a facility, does not replace official information sources.

Provider Inspection Summary

For the period 06/01/2003 to 05/31/2006 Community Based Residential Facility CLASS CNA (NONAMBULATORY) STATE OF WISCONSIN
Bureau of Quality Assurance
P.O. Box 2969
Madison WI 53701-2969

Survey ID: 0090671 End Date: 07/14/2003 Type: STANDARD Purpose: SURVEY

Results: ENFORCEMENT ACTION

Statement of Deficiency: #10007816 Served 07/24/2003

| | | <u>Compliance</u> | |
|---------------------------|---|-------------------|-----------|
| Deficiencies Cited | Subject Area | <u>Verified</u> | Corrected |
| 83.14(1)(d) | FIRE SAFETY, FIRST AID & CHOKING | 07/05/2005 | Yes |
| 83.21(4)(w) | SAFE ENVIRONMENT | 04/22/2004 | Yes |
| 83.32(2)(a) | INDIVIDUALIZED SERVICE PLAN-SCOPE | 04/22/2004 | Yes |
| 83.42(3)(e) | QUARTERLY FIRE DRILLS | 04/22/2004 | Yes |
| 83.43(3)(a) | SMOKE DETECTION SYSTEM & HEAT DETECTORS | 04/22/2004 | Yes |

Disclaimer: This information is provided as a public service by the Wisconsin Department of Health and Family Services (DHFS). The Department neither endorses any facility nor guarantees that this information is accurate, up-to-date, or complete. This information, which should not be used as a sole source in selecting a facility, does not replace official information sources.

Provider Inspection Summary

For the period 06/01/2003 to 05/31/2006 Community Based Residential Facility CLASS CNA (NONAMBULATORY) STATE OF WISCONSIN
Bureau of Quality Assurance
P.O. Box 2969
Madison WI 53701-2969

| Enforcement History | | | | | |
|--|-------------------------|--------------|--|--|--|
| Date: 05/10/2004 Sanctions FORFEITURE83.14 | SOD #10007986 (1)(d) | Appealed: No | | | |
| Date: 07/21/2003 | SOD #10007816 | Appealed: No | | | |
| Sanctions | | | | | |
| FORFEITURE83.14(1)(d) | | | | | |

Disclaimer: This information is provided as a public service by the Wisconsin Department of Health and Family Services (DHFS). The Department neither endorses any facility nor guarantees that this information is accurate, up-to-date, or complete. This information, which should not be used as a sole source in selecting a facility, does not replace official information sources.

Provider Inspection Summary

For the period 06/01/2003 to 05/31/2006 Community Based Residential Facility CLASS CNA (NONAMBULATORY) STATE OF WISCONSIN
Bureau of Quality Assurance
P.O. Box 2969
Madison WI 53701-2969

Complaint History

Date Complaint Received: 03/11/2004 Date Investigation Completed: 05/10/2004

Subject Area(s) Result SOD #

RESIDENT BEHAVIOR/FACILITY PRACTICE NOT SUBSTANTIATED